



## CASEMENT WINDOW LOCKS - VARIOUS

### Inside:

- Trojan Slimline Shootbolt
- Yale Shootbolt Locking System
- Maco Mk1 Shootbolt & Espagnolette Locks
- Folding Opener Plus

**For further assistance, call 01702 899440**

**[www.alu-tec.co.uk](http://www.alu-tec.co.uk)**

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## TROJAN SLIMLINE SHOOTBOLT

- Ideal choice for aluminium window systems
- Ultra slim off-set gear box design, ideal for fitting into slim glazing up stands.
- Face mounts onto flat profiles, no need for euro groove.
- Off-set Extension Bar increases any shootbolt extension by a maximum of 450mm.
- Stainless steel construction for ultimate corrosion resistance
- High security accredited
- 10 year corrosion and mechanical guarantee.

### SASH RANGES



Size 1 = 350mm - 410mm

Size 2 = 410mm - 530mm

Size 3 = 530mm - 710mm

Size 4 = 710mm - 945mm

Size 5 = 945mm - 1400mm




**For further assistance, call 01702 899440**

**[www.alu-tec.co.uk](http://www.alu-tec.co.uk)**

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## YALE SHOOTBOLT LOCKING SYSTEM

- Combination of anti separation 'mushroom' cams and chamfered security shootbolts
- Robust zinc alloy strikers
- Covering Sash sizes from 326mm to 1520mm
- Manufactured to highest specifications
- 10 year mechanical guarantee



For further assistance, call 01702 899440


[www.alu-tec.co.uk](http://www.alu-tec.co.uk)

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## MACO MK1 SHOOTBOLT & ESPAGNOLETTE LOCKS

- High quality materials
- Certified to Secured By Design accreditation
- Up to 4 adjustable mushroom locking points
- Adjustable throw steel shootbolts
- Metal striker plates
- Interlocking corner striker plates
- Tested up to 7.6kn (BS7950 requires only 3Kn)
- 40,000 life cycle operations
- 500 hours salt spray resistance
- Profile specific striker plates for greater strength and security

### ESPAGNOLETTE LOCK



SIZE	FACE PLATE LENGTH
320-400mm	131.8mm
400-800mm	356mm
800-1100mm	492mm
1100-1400mm	642mm


ESPAGNOLETTE SIZES
100mm
400mm
600mm
800mm
1000mm
1200mm

### SHOOTBOLT LOCK



The bolt throw is adjusted by moving the mushroom bolt before cropping to size

Locate the extension into the corner of the sash and crop to size



**For further assistance, call 01702 899440**



[www.alu-tec.co.uk](http://www.alu-tec.co.uk)

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

## FOLDING OPENER PLUS

Designed and styled for today's contemporary market, the 'Fo Plus' folding opener range offers a new tandem bar shape and is available in Transom (110 Type) and Sill (112 Type) level options.


- ❖ Gives secure locking and controlled ventilation in one simple operation.
- ❖ Ideal for use in schools, hospitals, offices, hotels, residential homes and sheltered housing.
- ❖ Concealed bracket fixing and pins.
- ❖ Anodised or paint finish options. Available in 5 RAL colours.




### TRANSOM APPLICATIONS





110 Type Opener



### SILL APPLICATIONS



112 Type Opener



**For further assistance, call 01702 899440**

[www.alu-tec.co.uk](http://www.alu-tec.co.uk)

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN