



BIFOLD DOOR HANDLES - VARIOUS

Inside:

- T Handles
- BSF70 Lift & Turn Handle
- Blu™ Stainless Steel Bifold Door Handles
- Inline Lever/Lever Handle for F80 IconiK Bifold Door
- D Handle Hinge Pulls - F80 IconiK Bifold Doors

For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

BIFOLD T HANDLES

T HANDLE



❖ Available in White, Silver, Black and Chrome

T LOCKING HANDLE




❖ Available in White, Silver, Black and Chrome

POP UP T HANDLE



❖ F82 Door Only

❖ Lever & T Handle available in White, Silver, Black, Brushed Stainless Steel and Grey.



For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

BSF70 LIFT & TURN BIFOLD HANDLE

- Shootbolt assembly interlock handle for the AluK BSF70 Bifolding Door
- Locking & Non Locking versions available.
- Available in Chrome, Black, Silver, Anthracite Grey and White



For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

BLU™ STAINLESS STEEL BIFOLDING HANDLE


- Ergonomic bi-fold door handle
- Comes complete with 63 x 25mm backplate and has a mounted 7x7x50mm spindle, the lever operates to an opening angle of 21.5 degrees
- Manufactured from solid 316 Marine Grade Stainless Steel
- Ideal for use where corrosion levels are high such as city or coastal environments and with acidic timber




COASTAL



Front Profile



Side Profile



For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

INLINE LEVER/LEVER DOOR HANDLE - F80 ICONIK BIFOLD


- Available for the F80 Iconik Bifold Door System
- Solid die cast construction for sturdy feel
- Heavy duty spring cassette ensures consistent 90 degree return.
- Sculptured ergonomic lever
- Easy to grip and smooth action
- Available in White, Black, Chrome, Satin and Anthracite Grey finishes.



TECHNICAL PERFORMANCE

Corrosion resistance - Meets the requirements of BS EN 1670:2007 Grade 5 (480 hours)

Operation - Endurance tested in excess of 200,000 cycles






For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

D HANDLE HINGE PULL

- Available for the F80 IconiK Bifold Door
- Integrated design for smooth, effortless operation of folding door panels
- Suitable for Inward and Outward Opening Doors
- Black Finish Only



For further assistance, call 01702 899440

www.alu-tec.co.uk

Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN