



Input Options							Thermal Transmittance	Solar Factor	Window Air Leakage Heat Loss	Label Index	Window Rating	Report No.	BFRC SEL No.		
Option 1	Option 2	Fixed Field	Option 3	Fixed Field (Dependant On Glass Type)	Option 4	U window								g window	L Factor
Frame	Vent	Mullion / Transom	Glass Type	Unit g Value	Spacer Bar Type										
AW600	AW610	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.51	0.01 W/m³.K	-6	B	RN-0100	SEL B Rated 3263		
AW600	AW610	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.49	0.01 W/m³.K	-10	B	RN-0100A	SEL B Rated 3263		
AW600	AW611	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.51	0.01 W/m³.K	-8	B	RN-0102	SEL B Rated 3263		
AW600	AW611	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.49	0.01 W/m³.K	-12	C	RN-0102A	SEL C Rated 3264		
AW600	AW612	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.51	0.01 W/m³.K	-6	B	RN-0104	SEL B Rated 3263		
AW600	AW612	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.49	0.01 W/m³.K	-10	B	RN-0104A	SEL B Rated 3263		
AW600	AW613	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.51	0.01 W/m³.K	-8	B	RN-0106	SEL B Rated 3263		
AW600	AW613	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.49	0.01 W/m³.K	-12	C	RN-0106A	SEL C Rated 3264		
AW600	AW614	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.6 W/m².K	0.53	0.01 W/m³.K	3	A	RN-0108	SEL A Rated 3262		
AW600	AW614	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.51	0.01 W/m³.K	-2	B	RN-0108A	SEL B Rated 3263		
AW600	AW615	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.48	0.01 W/m³.K	-15	C	RN-0110	SEL C Rated 3264		
AW600	AW615	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.47	0.01 W/m³.K	-17	C	RN-0110A	SEL C Rated 3264		
AW600	AW616	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.48	0.01 W/m³.K	-11	C	RN-0112	SEL C Rated 3264		
AW600	AW616	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.47	0.01 W/m³.K	-16	C	RN-0112A	SEL C Rated 3264		
AW600	AW617	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.48	0.01 W/m³.K	-15	C	RN-0114	SEL C Rated 3264		
AW600	AW617	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.47	0.01 W/m³.K	-17	C	RN-0114A	SEL C Rated 3264		
AW600	AW618	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.48	0.01 W/m³.K	-11	C	RN-0116	SEL C Rated 3264		
AW600	AW618	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.47	0.01 W/m³.K	-16	C	RN-0116A	SEL C Rated 3264		
AW600	AW619	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.49	0.01 W/m³.K	-13	C	RN-0118	SEL C Rated 3264		
AW600	AW619	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.47	0.01 W/m³.K	-17	C	RN-0118A	SEL C Rated 3264		
AW600	AW620	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.8 W/m².K	0.49	0.01 W/m³.K	-13	C	RN-0120	SEL C Rated 3264		
AW600	AW620	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.8 W/m³.K	0.47	0.01 W/m³.K	-18	C	RN-0120A	SEL C Rated 3264		
AW600	AW621	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.48	0.01 W/m³.K	-12	C	RN-0122	SEL C Rated 3264		
AW600	AW621	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.46	0.01 W/m³.K	-17	C	RN-0122A	SEL C Rated 3264		
AW600	AW685	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.53	0.01 W/m³.K	1	A	RN-0268	SEL A Rated 3262		
AW600	AW685	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.50	0.01 W/m³.K	-6	B	RN-0268A	SEL B Rated 3263		
AW600	AW686	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.53	0.01 W/m³.K	1	A	RN-0269	SEL A Rated 3262		
AW600	AW686	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.50	0.01 W/m³.K	-5	B	RN-0269A	SEL B Rated 3263		
AW600	AW690	AW631 / 632	SG - 4mm Diamant / 90% Argon / 4mm Total +	0.74	Swiss Spacer V	Edge Tech SS	1.7 W/m².K	0.53	0.01 W/m³.K	1	A	RN-0270	SEL A Rated 3262		
AW600	AW690	AW631 / 632	SG - 4mm Planilux / 90% Argon / 4mm Total +	0.71	Swiss Spacer V	Edge Tech SS	1.7 W/m³.K	0.50	0.01 W/m³.K	-6	B	RN-0270A	SEL B Rated 3263		

Continued over./

Continued from Page 2

Input Options							Door Rating	BFRC SEL No.
Option 1	Option 2	Fixed Field	Option 3	Option 4				
Frame	Vent	Midrail	Glass Type	Spacer Bar Type				
58BD Fully Glazed Pedestrian Door								
AW605	AD200	AD309	Saint Goban - 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear	Swiss Spacer V	Edge Tech SS	C	SEL C Rated D2193	
AW605	AD201	AD309	Saint Goban - 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear	Swiss Spacer V	Edge Tech SS	C	SEL C Rated D2193	
58BD French Door								
AW605	AD200	-	Saint Goban - 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear	Swiss Spacer V	Edge Tech SS	C	SEL C Rated D2194	
AW605	AD201	-	Saint Goban - 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear / 90% Argon 14mm / Planitherm Total FG / 4mm Planiclear	Swiss Spacer V	Edge Tech SS	C	SEL C Rated D2194	
B5C94 Sliding Door								
P-15-101	P-15-202	-	Saint Goban - 4mm Planiclear / 90% Argon 20mm / Planitherm Total FG / 4mm Planiclear	Swiss Spacer V	Edge Tech SS	C	SEL C Rated D2198	